Aluminium FD72

Aluminium FD45

Ali-Clad FD73

Aluminium Dual Colour FD74

Engineered Oak, Meranti & Pine FD68

PVCu FD71

FOLD 'N' SLIDE™ HARDWARE

UK **+44 (0) 845 644 6630** • Spain **0034 922 736188** • USA **(214) 234 9112**

www.foldingslidingdoors.com • www.foldnslide.net • www.foldingslidingdoors.us

Email: sales@foldingslidingdoors.com

FSD Works, Hopbine Avenue, West Bowling, Bradford, West Yorkshire BD5 8ER

'Fold 'N' Slide Hardware' and 'The Folding Sliding Door Company' are part or the Folding Sliding Doors Group



PRODUCT Catalogue

FOLD 'N' SLIDE™ HARDWARE

CONTENTS

Introduction 3-6

Handles, Rollers & Hinges 7-15

Door Locking 16-20

Gaskets & Seals 21-23

Brushes & Mouldings 24-29

Timber & PVCu 30-32

Timber Clad Aluminium / Dual Colour 33-40

45mm Aluminium 41-43

70mm Aluminium 44-47

Technical Details 48-50



PROBABLY THE STRONGEST SYSTEM IN THE WORLD

We have seen many alternative systems appear over the last few years, but few offer you the versatility of our system and many remain largely untested.

Don't compromise or take chances, buy DIRECT from the UK's Largest Design & Manufacture Specialist of Folding Sliding Doors

FOLD 'N' SLIDE™ HARDWARE

INTRODUCTION

The Folding Sliding Door Company is a UK based wholly independently owned and operated business specialising in the design, manufacture and distribution of folding sliding doors worldwide for in excess of 10 years, having introduced folding sliding door technology into the market place we are now proud to introduce our own innovative brand of folding sliding door hardware to the worldwide marketplace.

Fold 'N' Slide Hardware is a uniquely designed and accredited folding sliding door hardware system independently tested, approved and guaranteed. Fold 'N' Slide Hardware is accepted as one of the only universally compatible folding sliding door running systems in the marketplace; whether manufacturing timber, aluminium or pvcu folding sliding doors you will find the Fold 'N' Slide Hardware range offers you limitless opportunities.

Ask yourselves ... why compromise on security, weather resistance, performance; increase your folding sliding door options, wider openings, limitless door configurations; doors that open in or open out are now available to you and your customers.

Top running or bottom rolling the uniquely designed stainless steel rollers are engineered for ease of operation, strength and durability. Aesthetically pleasing uniquely designed flat handles ensuring flat folding uncompromising operation. Running track systems allowing you unobstructed level access with uncompromised weather and security as standard your choices are endless.

We know that you will appreciate the opportunities that Fold 'N' Slide Hardware offers and in return we will continue to offer innovative design and state of the art folding sliding door technology.

Paul Shearman
CEO

WELCOME TO THE SYSTEMS

Aluminium FD72

FD72 - Aluminium System

The FD72 - 70mm aluminium folding sliding door system offers a modern look coupled with strength and durability, low maintenance to keep its looks and is thermally broken to keep the cold out.

- Thermally broken for greater thermal efficiency
- Heavy duty cleats for stronger and bigger panels
- No condensation
- Resistant to scratching and denting
- Modern aesthetic profiles



Aluminium FD45

FD45 - 45mm Aluminium System:

The FD45 - 45mm aluminium folding sliding door offers slim lines and a smaller stacking space. It offers a modern look coupled with strength and durability, low maintenance to keep its looks and is thermally broken for thermal efficiency.

- Thermally broken for greater thermal efficiency
- No condensation
- Resistant to scratching and denting
- Modern looking profiles
- Narrow sight lines



For all systems we have a cutaway CAD cross-section on the website www.foldinslidingsdoors.com

Ali-Clad FD73

FD73 - Aluminium & Timber Clad System

By bringing our two systems together you can create an Ali-Clad folding sliding door. Offering a strong, durable and maintenance free finish outside while still providing the warmth and character that timber brings inside.

- Thermally broken powder coated aluminium frame
- Thermally Efficient
- No nailed on glazing beads
- Discreetly locked on timber profiles
- Timber can be easily removed for painting



Aluminium Dual Colour FD74

FD74 - Aluminium Dual Colour System

We have created the Dual colour - folding sliding door. It offers a strong, durable and maintenance free finish outside while still providing the opportunity to have different colour finish on the inside

- Thermally broken for greater thermal efficiency
- Heavy duty cleats for stronger and bigger panels
- No condensation
- Discreetly locked on aluminium profiles
- Resistant to scratching and denting
- Modern aesthetic profile
- Dual colour
- Easy glazing



Engineered Oak, Meranti & Pine FD68

FD68 - Timber System

Environmentally sourced Engineered Oak, Meranti & Pine.

- Factory sprayed finish
- Modern looking profiles
- Simulated "A" rated
- Narrow Sight Lines / UV Protected
- Anti-rot and anti-fungal treated



PVCu FD71

FD71 - 70mm PVCU System

This 70mm system is constructed from VEKA Matrix profile.

The system is high in strength and has a very good thermal value.

- No condensation
- Modern looking profiles
- Narrow sight lines



EXPLODED VIEW ILLUSTRATING TYPICAL COMPONENTS OF A FOLDING SLIDING DOOR



HANDLES, ROLLERS & HINGES

Compatible with ...

Aluminium FD72 | Aluminium FD45 | Ali-Clad FD73 | Aluminium Dual Colour FD74 | Engineered Oak, Meranti & Pine FD68 | PVCu FD71

† unless otherwise marked

Satin Nickel Mole Security Handle

High security handle, PAS024 accredited heavy duty construction

SATIN BRUSHED NICKEL RANGE OF HARDWARE

Satin Nickel Flat Handle

Aluminium alloy, innovatively designed, ease of operation, slim line aesthetics, reduced stacking width of door panels in the folded position.

Satin Nickel Rollers

Heavy duty roller systems, stainless steel wheels, sealed bearings, durable and stable construction, top hanging or bottom running, adjustable up and down. 100Kg capacity.

PART	DESCRIPTION	PART No
	FLAT HANDLE Black	**FSFHB**
	FLAT HANDLE White	**FSFHW**
	FLAT HANDLE Gold	**FSFHG**
	FLAT HANDLE Chrome	**FSFHS**
	FLAT HANDLE Brushed Nickel	**FSFHN**

FOLD 'SLIDE™ HARDWARE HANDLES

PART	DESCRIPTION	PART No
	MOLE SECURITY HANDLE Black **MOLE SECURITY HANDLE** White 1 x heavy duty handle set comprising of stainless steel mole security jacket, 2 gold screws and spindle	**FSHM1B** **FSHM1W**
	MOLE SECURITY HANDLE Gold 1 x heavy duty handle set comprising of stainless steel mole security jacket, 2 gold screws and spindle	**FSHM1G**
	MOLE SECURITY HANDLE Chrome 1 x heavy duty handle set comprising of stainless steel mole security jacket, 2 silver screws and spindle	**FSHM1S**
	MOLE SECURITY HANDLE Brushed Nickel 1 x heavy duty handle set comprising of stainless steel mole security jacket, 2 silver screws and spindle	**FSHM1N**

PART	DESCRIPTION	PART No
	ESCUTCHEON / CYLINDER GUARD Black	FSCGB
	ESCUTCHEON / CYLINDER GUARD White	FSCGW
	ESCUTCHEON / CYLINDER GUARD Gold	FSCGG
	ESCUTCHEON / CYLINDER GUARD Chrome	FSCGS
	ESCUTCHEON / CYLINDER GUARD Brushed Nickel	FSCGSN

PART	DESCRIPTION	PART No
	45mm ROLLER Assembly Black Aluminium FD45	FS45(5)RAB
	45mm ROLLER Assembly White Aluminium FD45	FS45(5)RAW
	70mm ROLLER Assembly Brushed Nickel Aluminium FD72 · Ali-Clad FD73 · Aluminium Dual Colour FD74 · Engineered Oak, Meranti & Pine FD68 · PVCu FD71	FS70(5)RASN

PART	DESCRIPTION	PART No
	70mm ROLLER Assembly Black Aluminium FD72 · Ali-Clad FD73 · Aluminium Dual Colour FD74 · Engineered Oak, Meranti & Pine FD68 · PVCu FD71	FS70(5)RAB
	70mm ROLLER Assembly White Aluminium FD72 · Ali-Clad FD73 · Aluminium Dual Colour FD74 · Engineered Oak, Meranti & Pine FD68 · PVCu FD71	FS70(5)RAW
	70mm ROLLER Assembly Bronze Anodised Aluminium FD72 · Ali-Clad FD73 · Aluminium Dual Colour FD74 · Engineered Oak, Meranti & Pine FD68 · PVCu FD71	FS70(5)RABA

FOLD 'SLIDE™ HARDWARE ROLLERS

PART	DESCRIPTION	PART No
	70mm POST ROLLER ASSEMBLY Mill Finish Aluminium FD72 · Ali-Clad FD73 · Aluminium Dual Colour FD74 · Engineered Oak, Meranti & Pine FD68 · PVCu FD71	FS70PR
	HINGE BACK PLATES Mill Finish	FSHBP

PART	DESCRIPTION	PART No
	**DOOR HINGE (Full)** Black	FSH(5)B
	DOOR HINGE White	FSH(5)W
	DOOR HINGE Bronze Anodised	FSH(5)BA
	DOOR HINGE Brushed Nickel	FSH(5)SN

FOLD 'SLIDE™ HARDWARE HINGES

PART	DESCRIPTION	PART No
	1/2 HINGE Black	FSHHB
	1/2 HINGE White	FSHHW
	1/2 HINGE Bronze Anodised	FSHHBA
	1/2 HINGE Brushed Nickel	FSHHSN

FOLDING SLIDING DOOR LOCKING

Compatible with ...

- Aluminium FD72
- Aluminium FD45
- Ali-Clad FD73
- Aluminium Dual Colour FD74
- Engineered Oak, Meranti & Pine FD68
- PVCu FD71

† unless otherwise marked



HARDENED STEEL HOOK LOCKS, DEAD BOLTS AND SHOOTBOLTS

FOLD 'SLIDE™ HARDWARE

LOCKING

ITEM	DESCRIPTION		PART No
a	**FINGER BOLT**	200mm	**FSFB200**
b	**FINGER BOLT**	400mm	**FSFB400**
c	**FINGER BOLT**	600mm	**FSFB600**
d	**LOCK EXTENSION**	200mm	**FSLE200**
	LOCK EXTENSION	400mm	**FSLE400**
e	**SHOOTBOLT**	Reverse Action	**FSRASB200**
f	**SHOOTBOLT**	Single Action	**FSNASB200**
g	**SHOOTBOLT**	Short Bottom	**FSNASB100**

PART	DESCRIPTION	PART No
	HOOK KEEP	**FSHK**
	LEFT HAND CENTER KEEP	**FSLHCK**
	RIGHT HAND CENTER KEEP	**FSRHCK**

FOLD 'SLIDE™ HARDWARE

LOCKING

PART	DESCRIPTION	PART No
	DOOR LOCK 2 hook 2 roller (5 POINT) **SLAVE LOCK** (2 POINT) 35mm Backset 25mm Backset	**FS5PL** **FS2PL35** **FS2PL25**
	DOOR LOCK SPINDLE 8mm	**FSS**
	35 x 35 MOLE CYLINDER **35 x 10 MOLE CYLINDER** **30 x 30 MOLE CYLINDER**	**FS35/35C** **FS35/10C** **FS30/30MC**
	**40 x 40 / 45 x 10 KEY ALIKE SET** **45 x 45 / 45 x 10 KEY ALIKE SET**	**FS40/4045/ 10MCKA** **FS45/4545/ 10CKA**

PART	DESCRIPTION	PART No
	**45 x 45 CYLINDER** 3 x keys, 1 x fixing screw	FS45/45C
	45 x 10 CYLINDER 3 x keys, 1 x fixing screw	FS45/10C
	**40 x 40 MOLE CYLINDER** 3 x keys, 1 x fixing screw	FS40/40MC

GASKETS AND SEALS

Compatible with ...

Aluminium FD72 · Aluminium FD45 · Ali-Clad FD73 · Aluminium Dual Colour FD74 · Engineered Oak, Meranti & Pine FD68 · PVCu FD71

† unless otherwise marked

PAS023 EXTREME WEATHER CONDITIONS OF OVER 300 PASCAL'S

Our system has been tested at a UKAS accredited testing station and Passed the PAS023 weather test to extreme weather conditions of over 300 Pascal's. We utilise 2 no. Epdm seals on each side of each panel and high Performance brush seals on the top and bottom of the panel.

PART	COLOUR	DESCRIPTION	PART No
	White Black Brown	**ALUMINIUM PANEL GLAZING GASKET** Qty: 150M	**FSPG731W** **FSPG731B** **FSPG731BR**
	White Black Brown	**ALUMINIUM BEAD GASKET** Qty: 150M	**FSBG732W** **FSBG732B** **FSBG732BR**
	White Black Brown	**ALUMINIUM FLIPPER GASKET** Qty: 50M	**FSAFGW** **FSAFGB** **FSAFGBR**
	White Black Brown	**ALUMINIUM REBATE GASKET** Qty: 250M	**FSRG135W** **FSRG135B** **FSRG135BR**
	White Black Brown	**ALUMINIUM BUBBLE GASKET** Qty: 75M	**FSAUBGW** **FSAUBGB** **FSAUBGBR**

FOLD 'N' SLIDE™ HARDWARE GASKETS & SEALS

PART	COLOUR	DESCRIPTION	PART No
	White Black Brown	**TIMBER GLAZING GASKET** Qty: 50M	**FSTGGW** **FSTGGB** **FSTGGBR**
	White Black Brown	**TIMBER BUBBLE GASKET** Qty: 50M	**FSTBGW** **FSTBGB** **FSTBGBR**
	White Black Brown	**TIMBER FLIPPER GASKET** Qty: 55M	**FSTFGW** **FSTFGB** **FSTFGBR**
	Black	**ALI-CLAD GLAZING GASKET** Qty: 100M	**FSACGG**

BRUSHES AND MOULDINGS

Compatible with ...

- Aluminium FD72
- Aluminium FD45
- Ali-Clad FD73
- Aluminium Dual Colour FD74
- Engineered Oak, Meranti & Pine FD68
- PVCu FD71

† unless otherwise marked

INTRODUCING A CHOICE OF BRUSHES AND MOULDINGS

FOLD 'SLIDE™ HARDWARE

BRUSHES & MOULDINGS

PART	COLOUR	DESCRIPTION	PART No
	Black Grey	**PANEL BRUSHSEAL (4.8)** 15mm pile Top Track Qty: 400M	**FSPB48B** **FSPB48G**
	Black Grey	**TOP TRACK BRUSHSEAL (6.7)** 15mm pile Top Track Qty: 350M	**FSTB67B** **FSTB67G**
	Black	**BRUSH SEAL CARRIER** Qty: 1M	**FSBC**
	White Black Brown	**400mm TRICKLE VENT**	**FSTVW** **FSTVB** **FSTVBR**
	Black	**SLIDING POST CAP**	**FSI7203PC**

PART	COLOUR	DESCRIPTION	PART No
	Black	**SLIDING CORNER POST CAP**	**FSI7205SPC**
	Black	**TONGUE END CAP**	**FSI7211TC**
	Black Black	**TRACK END CAP 70mm** Plastic **TRACK END CAP 45mm** Plastic	**FSI7001TC** **FSI4501TC**
	L/H 45mm R/H 45mm L/H 70mm R/H 70mm	**END CAP FOR CLOSERS**	**FSI4510LCC** **FSI4510RCC** **FSI7210LCC** **FSI7210RCC**
	L/H White R/H White	**CILL END CAP** Plastic, White L/H **CILL END CAP** Plastic, White R/H	**FSI7206LWCC** **FSI7206RWCC**
	L/H Black R/H Black	**CILL END CAP** Plastic, Black L/H **CILL END CAP** Plastic, Black R/H	**FSI7206LBCC** **FSI7206RBCC**

FOLD 'SLIDE™ HARDWARE BRUSHES & MOULDINGS

PART	COLOUR	DESCRIPTION	PART No
	Black White	**INFILL STRIPS** 2.5M	**7212B** **7212W**
	Black	**JAMB TENON INSERT**	**FSI7203JI**
	Black	**ALI-CLAD CLIPS**	**FSIACC**
	White Black Brown	**DOOR RESTRICTOR HOOK** Plastic	**FSDRW** **FSDRB** **FSDRBR**
	White Black Brown	**FLAT HANDLE CATCH** Plastic	**FSDRW** **FSDRB** **FSDRBR**

PART	DESCRIPTION		PART No
	White Black Brown	**DOOR RESTRICTOR** Plastic	**FSDRW** **FSDRB** **FSDRBR**
	White Grey Black	**TRACK PORT COVERS**	**FSTPCW** **FSTPCG** **FSTPCB**
	Black	**CORNER GLAZING PACKER**	**FSI/GP/7201**
	Black	**UNIVERSAL GLAZING PACKER**	**FSI/GP/U**
	Black	**DRAINAGE CHANNEL**	**FSI/7001/DC**

FOLD 'N' SLIDE™ HARDWARE

PART	COLOUR	DESCRIPTION	PART No
	Black	**CORNER PROTECTOR**	**FSICP**
	Black	**CORNER CLEAT**	**FSI/7201/CC** **FSI/7204/CC**
	Black	**RISER PROTECTOR**	**FSDRPB** **FSDRPW**



FSI/6VK45//JI - JAMB INSERT (Veka)

FSI/6891//TC - TONGUE END CAP (Timber)

TIMBER AND PVCu

Compatible with ...

Engineered Oak, Meranti & Pine **FD68**

PVCu **FD71**

† unless otherwise marked

FD68 - Timber System

Environmentally sourced Engineered Oak, Meranti & Pine.

• Factory sprayed finish • Modern looking profiles • Simulated "A" rated

• Narrow Sight Lines / UV Protected • Anti-rot and anti-fungal treated

PROBABLY THE STRONGEST SYSTEM IN THE WORLD

FD71 - 70mm PVCU System

Constructed from VEKA Matrix profile.

The system is high in strength and has a very good thermal value.

• No condensation

• Modern looking profiles

• Narrow sight lines

FOLD 'N' SLIDE™ HARDWARE

TIMBER AND PVCu

PART	COLOUR	DESCRIPTION	PART No
	Silver Anodised Bronze Anodised	**ALUMINIUM CLOSER FOR TIMBER SYSTEMS** 5.8M	**6890SA** **6890BA**
	Silver Anodised Bronze Anodised	**ALUMINIUM TONGUE FOR TIMBER SYSTEMS** 5.8M	**6891SA** **6891BA**
	Mill Finish White	**JAMB / POST** 5.0M	**7203M** **7203W**
	Mill Finish White	**TONGUE** 5.8M	**7211M** **7211W**
	Mill Finish White	**CLOSER** 5.0M	**7210M** **7210W**

FOLD 'SLIDE™ HARDWARE

TIMBER AND PVCu

PART	COLOUR	DESCRIPTION	PART No
	Mill Finish White	**REBATE** 5.8M	**7003M** **7003W**
	Mill Finish White	**TRACK COVER** 5.8M	**7007M** **7007W**
	Mill Finish White	**TOP TRACK** 5.8M	**7202M** **7202W**
	Silver Anodised Bronze Anodised	**BOTTOM TRACK** 5.8M	**7001SA** **7001BA**
	Mill Finish Powder Coated White	**CILL EXTENSION** 5.8M	**7206M** **7206PC** **7206W**

TIMBER CLAD ALUMINIUM

Compatible with ...

Ali-Clad FD73

† unless otherwise marked

FD73 - Aluminium & Timber Clad System

By bringing our two systems together you can create an Ali-Clad folding sliding door. Offering a strong, durable and maintenance free finish outside while still providing the warmth and character that timber brings inside.

STRONG, DURABLE AND MAINTENANCE FREE

- Thermally broken powder coated aluminium frame
- Thermally Efficient
- No nailed on glazing beads
- Discreetly locked on timber profiles
- Timber can be easily removed for painting
- Available in a large variety of timber species

PART	COLOUR	DESCRIPTION	PART No
	Mill Finish	**STYLE/RAIL** 5.8M	**7301**
	Mill Finish	**JAMB / POST** 5.0M	**7303**
	Mill Finish White	**CILL EXTENSION** 5.8M	**7206M** **7206W**
	Mill Finish White	**TONGUE** 5.8M	**7211M** **7211W**
	Mill Finish White	**CLOSER** 5.0M	**7210M** **7210W**

FOLD 'SLIDE™ HARDWARE TIMBER CLAD ALUMINIUM

PART	COLOUR	DESCRIPTION	PART No
	Mill Finish White	**TRACK REBATE** 5.8M	**7003M** **7003W**
	Mill Finish White	**TRACK COVER / CLADDING** 5.8M	**7007M** **7007W**
	Mill Finish White	**TOP TRACK** 5.8M	**7202M** **7202W**
	Silver Anodised Bronze Anodised	**BOTTOM TRACK** 5.8M	**7001SA** **7001BA**
	Mill Finish	**BRUSHSEAL CARRIER** 5.8M	**7209**

FOLD 'SLIDE™ HARDWARE

TIMBER CLAD ALUMINIUM

PART	COLOUR	DESCRIPTION	PART No
	Mill Finish	**CLEAT** Each	**7200**
	Mill Finish	**CORNER POST** 5.0M	**7205M** **7205W**

DUAL COLOUR ALUMINIUM

Compatible with ...

Aluminium Dual Colour FD74

† unless otherwise marked

FD74 - Aluminium Dual Colour System

We have created the Dual colour - folding sliding door. It offers a strong, durable and maintenance free finish outside while still providing the opportunity to have different colour finish on the inside

OPPORTUNITY TO HAVE DIFFERENT COLOUR FINISH ON THE INSIDE

- **Thermally broken for greater thermal efficiency**
- **Heavy duty cleats for stronger and bigger panels**
- **No condensation**
- **Discreetly locked on aluminium profiles**
- **Resistant to scratching and denting**
- **Modern aesthetic profile**
- **Dual colour**
- **Easy glazing**

FOLD 'SLIDE™ HARDWARE — DUAL COLOUR ALUMINIUM

PART	COLOUR	DESCRIPTION	PART No
	Mill Finish	**STYLE/RAIL** 5.8M	**7301**
	Mill Finish	**JAMB / POST** 5.8M	**7303**
	Aluminium	**STYLE CLADDING** 5.8M	**7390**
	Aluminium	**JAMB CLADDING** 5.8M	**7391**
	Aluminium	**CARRIER SECTION (MILL)** 5.8M	**7392**

FOLD 'SLIDE™ HARDWARE

PART	COLOUR	DESCRIPTION	PART No
	Mill Finish White	**CILL EXTENSION** 5.8M	**7206M** **7206W**
	Mill Finish White	**TONGUE** 5.8M	**7211M** **7211W**
	Mill Finish White	**CLOSER** 5.0M	**7210M** **7210W**
	Mill Finish White	**TRACK REBATE** 5.8M	**7003M** **7003W**
	Mill Finish White	**TRACK COVER / CLADDING** 5.8M	**7007M** **7007W**

FOLD 'SLIDE™ HARDWARE

PART	COLOUR	DESCRIPTION	PART No
	Mill Finish White	**TOP TRACK** 5.8M	**7202M** **7202W**
	Silver Anodised Bronze Anodised	**BOTTOM TRACK** 5.8M	**7001SA** **7001BA**
	Mill Finish	**BRUSHSEAL CARRIER** 5.8M	**7209**
	Mill Finish	**CLEAT** Each	**7200**
	Mill Finish	**CORNER POST** 5.0M	**7205M** **7205W**

45mm ALUMINIUM

Compatible with ...

Aluminium FD45

† unless otherwise marked

FD45 - 45mm Aluminium System:

The FD45 - 45mm aluminium folding sliding door offers slim lines and a smaller stacking space. It offers a modern look coupled with strength and durability, low maintenance to keep its looks and is thermally broken for thermal efficiency.

SLIM SIGHTLINES AND A SMALLER STACKING SPACE

- **Thermally broken for greater thermal efficiency**
- **No condensation**
- **Resistant to scratching and denting**
- **Modern looking profiles**
- **Narrow sight lines**

FOLD 'SLIDE™ HARDWARE

PART	COLOUR	DESCRIPTION	PART No
	Mill Finish White	**STYLE/RAIL** 5.8M	**4501RM** **4501RW**
	Mill Finish White	**JAMB / POST** 5.0M	**4503RM** **4503RW**
	Mill Finish White	**MULLION / TRANSOM** 5.8M	**4504RM** **4504RW**
	Mill Finish White	**GLAZING BEAD** 5.8M	**4508RM** **45048W**
	Mill Finish White	**CLOSER** 5.0M	**4510RM** **4510RW**
	Mill Finish White	**BRUSHSEAL REBATE**	**4506**

FOLD 'SLIDE™ HARDWARE

PART	COLOUR	DESCRIPTION	PART No
	Mill Finish White	**TOP TRACK** 5.8M	**4511RM** **4511RW**
	Mill Finish White	**BOTTOM TRACK** 5.8M	**4509RM** **4501RW**
	Mill Finish	**OUTER CLEAT**	**4597**
	Mill Finish	**INNER CLEAT**	**4598**
	Mill Finish	**BRUSHSEAL CARRIER** 5.8M	**7209**

70mm ALUMINIUM

Compatible with ...

Aluminium
FD72

† unless otherwise marked

FD72 - Aluminium System

The FD72 - 70mm aluminium folding sliding door system offers a modern look coupled with strength and durability, low maintenance to keep its looks and is thermally broken to keep the cold out.

MODERN LOOK WITH STRENGTH AND DURABILITY

- **Thermally broken for greater thermal efficiency**
- **Heavy duty cleats for stronger and bigger panels**
- **No condensation**
- **Resistant to scratching and denting**
- **Modern aesthetic profiles**

FOLD 'N' SLIDE™ HARDWARE

PART	COLOUR	DESCRIPTION	PART No
	Mill Finish White	**STYLE/RAIL** 5.8M	**7201M** **7201PC**
	Mill Finish White	**JAMB / POST** 5.8M	**7203M** **7203W**
	Mill Finish White	**MULLION / TRANSOM** 5.8M	**7204M** **7204W**
	Mill Finish White	**CORNER POST** 5.8M	**7205M** **7205W**
	Mill Finish White	**CILL EXTENSION** 5.8M	**7206M** **7206W**

FOLD 'SLIDE™ HARDWARE

PART	COLOUR	DESCRIPTION	PART No
	Mill Finish White	**GLAZING BEAD** 5.8M	**7208RM** **7208RW**
	Mill Finish White	**TONGUE** 5.8M	**7211M** **7211W**
	Mill Finish White	**CLOSER** 5.0M	**7210M** **7210W**
	Mill Finish White	**TRACK REBATE** 5.8M	**7003M** **7003W**
	Mill Finish White	**TRACK COVER** 5.8M	**7007M** **7007W**

FOLD 'SLIDE™ HARDWARE

PART	COLOUR	DESCRIPTION	PART No
	Mill Finish White	**TOP TRACK** 5.8M	**7202M** **7202W**
	Silver Anodised Bronze Anodised	**BOTTOM TRACK** 5.8M	**7001SA** **7001BA**
	Mill Finish	**BRUSHSEAL CARRIER** 5.8M	**7209**
	Mill Finish	**CLEAT** Each	**7200**

TECHNICAL DETAILS

Aluminium FD72 | Aluminium FD45 | Ali-Clad FD73 | Aluminium Dual Colour FD74 | Engineered Oak, Meranti & Pine FD68 | PVCu FD71

TECHNICAL DETAILS

UKAS QUALITY MANAGEMENT

FOLD 'N' SLIDE™ HARDWARE





Bottom Track Roller detail





Top Track Roller detail

FOLD 'SLIDE™ HARDWARE

POST ROLLER TIMBER





Euro-Groove detail **Roller Hinge detail** **Post Roller detail**

FOLD 'SLIDE™ HARDWARE



ALUMINIUM TONGUE & CLOSER FOR TIMBER SYSTEM



Bi-Fold Tongue Section

Timber style complete with aluminium tongue section 6891
fitted to timber style and machined to allow fixing of bi-fold lock mechanism





Closing Rebate Section

Timber style complete with aluminium tongue section 6890
fitted to timber style and machined to allow fixing of lock mechanism



Timber Style & Closing Rebate Section Preparation